






Construct Forms Comprising at Least One  
Single-Stranded Region






FIG. 3A




FIG. 3B




FIG. 3C

Three Constructs with an RNA Polymerase  
Covalently Attached to a Transcribing Cassette

FIG. 4A




FIG. 4B





FIG. 4C



Three Constructs with Promoters  
for Endogenous RNA Polymers

**FIG. 5****M13mp18 Nucleic Acid Sequence**

M13mp18. Seq Length: 7250

1	AATGCTACTA	CTATTAGTAG	AATTGATGCC	ACCTTTTCAG	CTCGCGCCCC
51	AAATGAAAAT	ATAGCTAAAC	AGGTTATTGA	CCATTTGCGA	AATGTATCTA
101	ATGGTCAAAC	TAAATCTACT	CGTTCGCAGA	ATTGGGAATC	AACTGTTACA
151	TGGAATGAAA	CTTCCAGACA	CCGTACTTTA	GTTGCATATT	TAAAACATGT
201	TGAGCTACAG	CACCAGATTC	AGCAATTAAG	CTCTAAGCCA	TCCGCAAAAA
251	TGACCTCTTA	TCAAAAGGAG	CAATTAAAGG	TACTCTCTAA	TCCTGACCTG
301	TTGGAGTTTG	CTTCCGGTCT	GGTTCGCTTT	GAAGCTCGAA	TAAAAACGCG
351	ATATTTGAAG	TCTTTCGGGC	TTCTCTTAA	TCTTTTGTAT	GCAATCCGCT
401	TTGCTTCTGA	CTATAATAGT	CAGGTAAG	ACCTGATTTT	TGATTTATGG
451	TCATTCTCGT	TTTCTGAACT	GTTTAAAGCA	TTTGAGGGGG	ATTCAATGAA
501	TATTTATGAC	GATTCCGCAG	TATTGGACGC	TATCCAGTCT	AAACATTTTA
551	CTATTACCCC	CTCTGGCAAA	ACTTCTTTTG	CAAAAGCCTC	TCGCTATTTT
601	GGTTTTTATC	GTCGTCTGGT	AAACGAGGGT	TATGATAGTG	TTGCTCTTAC
651	TATGCCTCGT	AATTCCTTTT	GGCGTTATGT	ATCTGCATTA	GTTGAATGTG
701	GTATTCCTAA	ATCTCAACTG	ATGAATCTTT	CTACCTGTAA	TAATGTTGTT
751	CCGTTAGTTC	GTTTTATTAA	CGTAGATTTT	TCTTCCCAAC	GTCCTGACTG
801	GTATAATGAG	CCAGTTCTTA	AAATCGCATA	AGGTAATFCA	CAATGATTAA
851	AGTTGAAATT	AAACCATCTC	AAGCCCAATT	TACTACTCGT	TCTGGTGTTC
901	TCGTCAGGGC	AAGCTTATT	CACTGAATGA	GCAGCTTTGT	TACGTTGATT
951	TGGGTAATGA	ATATCCGGTT	CTTGTCGAAG	ATTACTCTTG	ATGAAGGTCA
1001	GCCAGCCTAT	GCGCCTGGTC	TGTAGACCGT	TCATCTGTCC	TCTTTCAAAG
1051	TTGGTCAGTT	CGGTTCCCTT	ATGATTGACC	GTCTGCGCCT	CGTTCCGGCT
1101	AAGTAACATG	GAGCAGGTCG	CGGATTTCTG	CACAATTTAT	CAGGCGATGA
1151	TACAAATCTC	CGTTGTACCTT	TGTTTCGCGC	TTGGTATAAT	CGCTGGGGGT
1201	CAAAGATGAG	TGTTTTAGTG	TATTCTTTTCG	CCTCTTTTCGT	TTTAGGTTGG

**FIG. 5****M13mp18 NUCLEIC ACID SEQUENCE**

1251	TGCCTTCGTA	GTGGCATTAC	GTATTTTACC	CGTTTAATGG	AAACTTCCTC
1301	ATGAAAAAGT	CTTTAGTCCT	CAAAGCCTCT	GTAGCCGTTG	CTACCCCTCGT
1351	TCCGATGCTG	TCTTTCGCTG	CTGAGGGTGA	CGATCCCGCA	AAAGCGGCCT
1401	TTAACTCCCT	GCAAGCCTCA	GCGACCGAAT	ATATCGGTTA	TGCGTGGGCG
1451	ATGGTTGTTG	TCATTGTCGG	CGCAACTATC	GGTATCAAGC	TGTTTAAGAA
1501	ATTCACCTCG	AAAGCAAGCT	GATAAACCGA	TACAATTAAA	GGCTCCTTTT
1551	GGAGCCTTTT	TTTTTGAGAG	TTTTC AACGT	GAAAAAATTA	TTATTCCGAA
1601	TTCCTTTAGT	TGTTCCTTTC	TATTCTCACT	CCGCTGAAAC	TGTTGAAAGT
1651	TGTTTAGCAA	AACCCCATAC	AGAAAATTCA	TTTACTAACG	TCTGGAAAGA
1701	CGACAAAAC	TTAGATCGTT	ACGCTAACTA	TGAGGGTTGT	CTGTGGAATG
1751	CTACAGGCGT	TGTAGTTTGT	ACTGGTGACG	AAACTCAGTG	TTACGGTACA
1801	TGGGTTCCCTA	TTGGGCTTGC	TATCCCTGAA	AATGAGGGTG	GTGGCTCTGA
1851	GGGTGGCGGT	TCTGAGGGTG	GCGGTTCTGA	GGGTGGCGGT	ACTAAACCTC
1901	CTGAGTACGG	TGATACACCT	ATTCCGGGCT	ATACTTATAT	CAACCCTCTC
1951	GACGGCACTT	ATCCGCCTGG	TACTGAGCAA	AACCCGCTA	ATCCTAATCC
2001	TTCTCTTGAG	GAGTCTCAGC	CTCTTAATAC	TTTCATGTTT	CAGAATAATA
2051	GGTTCCGAAA	TAGGCAGGGG	GCATTAAC	TTTATACGGC	CACTGTTACT
2101	CAAGGCACTG	ACCCCGTTAA	AACTTATTAC	CAGTACACTC	CTGTATCATC
2151	AAAAGCCATG	TATGACGCTT	ACTGGAACGG	TAAATTCAGA	GAATGCGCTT
2201	CAAGGCACTG	ACCCCGTTAA	AACTTATTAC	CAGTACACTC	CTGTATCATC
2251	AAAAGCCATG	TGCCTCAACC	TCCTGTCAAT	GCTGGCGGCG	GCTCTGGTGG
2301	TCCATTCTGG	CTTTAATCAA	GATCCATTCTG	TTTGTGAATA	TCAAGGCCAA
2351	TCGTCTGACC	TGCCTCAACC	TCCTGTCAAT	GCTGGCGGCG	GCTCTGGTGG
2401	TGGTTCTGGT	GGCGGCTCTG	AGGGTGGTGG	CTCTGAGGGT	GGCGGTTCTG
2451	AGGGTGGCGG	CTCTGAGGGA	GGCGGTTCCG	GTGGTGGCTC	TGGTTCCGGT
2501	GATTTTGATT	ATGAAAAGAT	GGCAAACGCT	AATAAGGGGG	CTATGACCGA
2551	AAATGCCGAT	GAAAACGCGC	TACAGTCTGA	CGCTAAAGGC	AAACTTGATT

**FIG. 5****M13mp18 Nucleic Acid Sequence**

2601	CTGTCGCTAC	TGATTACGGT	GCTGCTATCG	ATGGTTTCAT	TGGTGACGTT
2651	TCCGGCCTTG	CTAATGGTAA	TGGTGCTACT	GGTGATTTTG	CTGGCTCTAA
2701	TTCCCAAATG	GCTCAAGTCG	GTGACGGTGA	TAATTCACCT	TTAATGAATA
2751	ATTTCCGTCA	ATATTTACCT	TCCCTCCCTC	AATCGGTTGA	ATGTCGCCCT
2801	TTTGTCTTTA	GCGCTGGTAA	ACCATATGAA	TTTTCTATTG	ATTGTGACAA
2851	AATAAACTTA	TTCCGTGGTG	TCTTTGCGTT	TCTTTTATAT	GTTGCCACCT
2901	TTATGTATGT	ATTTTCTACG	TTTGCTAACA	TACTGCGTAA	TAAGGAGTCT
2951	TTATCATGCC	AGTTCTTTTG	GGTATTCCGT	TATTATTGCG	TTTCCTCGGT
3001	TTCCTTCTGG	TAACTTTGTT	CGGCTATCTG	CTTACTTTTC	TTAAAAAGGG
3051	CTTCGGTAAG	ATAGCTATTG	CTATTTTCATT	GTTTCTTGCT	CTTATTATTG
3101	GGCTTAACTC	AATTCTTG TG	GGTTATCTCT	CTGATATTAG	CGCTCAATTA
3151	CCCTCTGACT	TTGTT CAGGG	TGTT CAGTTA	ATTCTCCCGT	CTAATGCGCT
3201	TCCCTGTTTT	TATGTTATTC	TCTCTGTAAA	GGCTGCTATT	TTCATTTTTG
3251	ACGT TAAACA	AAAAATCGTT	TCTTATTTGG	ATTGGGATAA	ATAATATGGC
3301	TGTTTATTTT	GTA ACTGGCA	AATTAGGCTC	TGGAAAGACG	CTCGTTAGCG
3351	TTGGTAAGAT	TCAGGATAAA	ATTGTAGCTG	GGTGCAAAAT	AGCAACTAAT
3401	CTTGATT TAA	GGCTTCAAAA	OCTCCCGCAA	GTCCGGGAGGT	TCGCTAAAAC
3451	GCCTCGCGTT	CTTAGAATAC	CGGATAAGCC	TTCTATATCT	GATTTGCTTG
3501	CTATTGGGCG	CGGTAATGAT	TCCTACGAATG	AAAATAAAAA	CGGCTTGCTT
3551	GTTCTCGATG	AGTGCGGTAC	TTGGTTTAAT	ACCCGTTCTT	GGAATGATAA
3601	GGAAAGACAG	CCGATTATTG	ATTGGTTTCT	ACTGCTCGT	AAATTAGGAT
3651	GGGATATTAT	TTTTCTTGTT	CAGGACTTAT	CTATTGTTGA	TAAACAGGCG
3701	CGTTCTGCAT	TAGCTGAACA	TGTTGTTTAT	TGTCGTCGTC	TGGACAGAAT
3751	TACTTTACCT	TTGTGCGGTA	CTTTATATTC	TCTTATTACT	GGCTCGAAAA
3801	TGCCTCTGCC	TAAATTACAT	GTTGGCGTTG	TTAAATATGG	CGATTCTCAA
3851	TTAAGCCCTA	CTGTTGAGCG	TTGGCTTTAT	ACTGGTAAGA	ATTTGTATAA
3901	CGCATATGAT	ACTAAACAGG	CTTTTTCTAG	TAATTATGAT	TCCGGTGTTT

**FIG. 5****M13mp18 Nucleic Acid Sequence**

3951	ATTCTTATTT	AACGCCTTAT	TTATCACACG	GTCGGTATTT	CAAACCATTA
4001	AATTTAGGTC	AGAAGATGAA	ATTAAGTAAA	ATAATATTGA	AAAAGTTTTTC
4051	TCGCGTTCTT	TGTCTTGCGA	TTGGATTTGC	ATCAGCATTT	ACATATAGTT
4101	ATATAACCCA	ACCTAAGCCG	GAGGTTAAAA	AGGTAGTCTC	TCAGACCTAT
4151	GATTTTGATA	AATTCATAT	TGACTCTTCT	GAGCGTCTTA	ATCTAAGCTA
4201	TCGCTATGTT	TTCAAGGATT	CTAAGGAAA	ATTAATTAAT	AGCGACGATT
4251	TACAGAAGCA	AGGTTATTCA	CTCACATATA	TTGATTTATG	TACTGTTTCC
4301	ATTAATAAAG	GTAATTCAAA	TGAAATTGTT	AAATGTAATT	AATTTTGTTT
4351	TCTTGATGTT	TGTTTCATCA	TCTTCTTTTG	CTCAGGTAAT	TGAAATGAAT
4401	AATTCGCCTC	TGCGCGATTT	TGTAAGTTGG	TATTCAAAGC	AATCAGGCGA
4451	AATCCGTTATT	GTTTCTCCCG	ATGTAAAAGG	TACTGTTACT	GTATATTCAT
4501	CTGACGTTAA	ACCTGAAAAT	CTACGCAATT	TCTTTATTTT	TGTTTTACGT
4551	GCTAATAATT	TTGATAATGGT	TGGTTCAATT	CCTTCCATAA	TTCAGAAGTA
4601	TAATCCAAAC	AATCAGGATT	ATATTGATGA	ATTGCCATCA	TCTGATAATC
4651	AGGAATATGA	TGATAATTCC	GCTCCTTCTG	GTGGTTTCTT	TGTTCCGCAA
4701	AATGATAATG	TTACTCAAAC	TTTTAAAATT	AATAACGTTT	GGGCAAAGGA
4751	TTTAATACGA	GTTGTGCAAT	TGTTTGTAAG	GTCTAATACT	TCTAAATCCT
4801	CAAATGTATT	ATCTATTGAC	GGCTCTAATC	TATTAGTTGT	TAGTGCTCCT
4851	AAAGATATTT	TAGATAACCT	TCCTCAATTC	CTTTCTACTG	TTGATTTGCC
4901	AACTGACCAG	ATATTGATTG	AGGGTTTGAT	ATTTGAGGTT	CAGCAAGGTG
4951	ATGCTTTAGA	TTTTTCATTT	GCTGCTGGCT	CTCAGCGTGG	CACTGTTGCA
5001	GGCGGTGTTA	ATACTGACCG	CCTCACCTCT	GTTTTATCTT	CTGCTGGTGG
5051	TTCGTTCCGT	ATTTTAAATG	GCGATGTTTT	AGGGCTATCA	GTTCGCGCAT
5101	TAAAGACTAA	TAGCCATTCA	AAAATATTGT	CTGTGCCACG	TATTCTTACG
5151	CTTTCAGGTC	AGAAGGGTTC	TATCTCTGTT	GGCCAGAATG	TCCCTTTTAT
5201	TAAAGACTAA	TAGCCATTCA	AAAATATTGT	CTGTGCCACG	TATTCTTACG
5251	CGATTGAGCG	TCAAAATGTA	GGTATTTCCA	TGAGCGTTTT	TCCTGTTGCA



**FIG. 5****M13mp18 Nucleic Acid Sequence**

5301	ATGGCTGGCG	GTAATATTGT	TCTGGATATT	ACCAGCAAGG	CCGATAGTTT
5351	GAGTTCTCT	ACTCAGGCAA	GTGATGTTAT	TACTAATCAA	AGAAGTATTG
5401	CTACAACGGT	TAATTTGCGT	GATGGACAGA	CTCTTTTACT	CGGTGGCCTC
5451	ACTGATTATA	AAAACACTTC	TCAAGATTCT	GGCGTACCGT	TCCTGTCTAA
5501	AATCCCTTTA	ATCGGCCTCC	TGTTTAGCTC	CCGCTCTGAT	TCCAACGAGG
5551	AAAGCACGTT	ATACGTGCTC	GTCAAAGCAA	CCATAGTACG	CGCCCTGTAG
5601	CGGCGCATTA	AGCGCGGCGG	GTGTGGTGGT	TACGCGCAGC	GTGACCGCTA
5651	CACTTGCCAG	CGCCCTAGCG	CCCGCTCCTT	TCGCTTTCTT	CCCTTCCTTT
5701	CTCGCCACGT	TCGCCGGCTT	TCCCCGTCAA	GCTCTAAATC	GGGGGCTCCC
5751	TTTAGGGTTC	CGATTTAGTG	CTTTACGGCA	CCTCGACCCC	AAAAAACTTG
5801	ATTTGGGTGA	TGGTTCACGT	AGTGGGCCAT	CGCCCTGATA	GACGGTTTTT
5851	CGCCCTTTGA	CGTTGGAGTC	CACGTTCTTT	AATAGTGGAC	TCTTGTTCOA
5901	AACTGGAACA	ACACTCAACC	CTATCTCGGG	CTATTCTTTT	GATTTATAAG
5951	GGATTTTGCC	GATTTCCGAA	CCACCATCAA	ACAGGATTTT	CGCCTGCTGG
6001	GGCAAACCAG	CGTGGACCGC	TTGCTGCAAC	TCTCTCAGGG	CCAGGCGGTG
6051	AAGGGCAATC	AGCTGTTGCC	CGTCTCGCTG	GTGAAAAGAA	AAACCACCCT
6101	GGCGCCCAAT	ACGCAAACCG	CCTCTCCCCG	CGCGTTGGCC	GATTCATTAA
6151	TGCAGCTGGC	ACGACAGGTT	TCCCGACTGG	AAAGCGGGCA	GTGAGCGCAA
6201	CGCAATTAAT	GTGAGTTAGC	TCACTCATTA	GGCACCCAG	GCTTTACACT
6251	TTATGCTTCC	GGCTCGTATG	TTGTGTGGAA	TTGTGAGCGG	ATAACAATTT
6301	CACACAGGAA	ACAGCTATGA	CCATGATTAC	GAATTCCAGC	TCGGTACCCG
6351	GCGATCCTCT	AGAGTCGACC	TGCAGGCATG	CAAGCTTGGC	ACTGGCCGTC
6401	GTTTTACAAC	GTCGTGACTG	GGAAAACCTT	GGCGTTACCC	AACTTAATCG
6451	CCTTGCAGCA	CAATCCCCTT	TCGCCAGCTG	GCGTAATAGC	GAAGAGGCCC
6501	GCACCGATCG	CCCTTCCCAA	CAGTTGCGCA	GCCTGAATGG	CGAATGGCGC
6551	TTTGCTGGT	TTCCGGCACC	AGAAGCGGTG	CCGAAAGCT	GGCTGGAGTG
6601	CGATCTTCCT	GAGGCCGATA	CGGTCGTCGT	CCCCTCAAAC	TGGCAGATGC

**FIG. 5****M13mp18 Nucleic Acid Sequence**

6651	ACGGTTACGA	TGCGCCCATC	TACACCAACG	TAACCTATCC	CATTACGGTC
6701	AATCCGCCGT	TTGTTCCAC	GGAGAATCCG	ACGGGTTGTT	ACTCGCTCAC
6751	ATTTAATGTT	GATGAAAGCT	GGCTACAGGA	AGGCCAGACG	CGAATTATTT
6801	TTGATGGCGT	TCCTATTGGT	TAAAAAATGA	GCTGATTAA	CAAAAATTTA
6851	ACGCGAATTT	TAACAAAATA	TTAACGTTTA	CAATTTAAAT	ATTTGCTTAT
6901	ACAATCTTCC	TGTTTTTGGG	GCTTTTCTGA	TTATCAACCG	GGGTACATAT
6951	GATTGACATG	CTAGTTTTAC	GATTACCGTT	CATCGATTCT	CTTGTTTGCT
7001	CCAGACTCTC	AGGCAATGAC	CTGATAGCCT	TTGTAGATCT	CTCAAAAATA
7151	GCTACCCTCT	CCGGCATGAA	TTTATCAGCT	AGAACGGTTG	AATATCATAT
7101	TGATGGTGAT	TTGACTGTCT	CCGGCCTTTC	TCACCCTTTT	GAATCTTTAC
7151	CTACACATTA	CTCAGGCATT	GCATTTAAAA	TATATGAGGG	TTCTAAAAAT
7201	TTTTATCCTT	GCGTTGAAAT	AAAGGCTTCT	CCCGCAAAAG	TATTACAGGG
7251	TCATAATGTT	TTTGGTACAA	CCGATTTAGC	TTTATGCTCT	GAGGCTTTAT

**FIG. 6****Primers for Nucleic Acid Production Derived from M13mp18 Nucleic Acid Sequence**

COMPLEMENTARY TO M13			
POSITION	5' * 3'	POSITION	
645	AGCAACTATCATA	631	M13/1
	*		
615	ACGACGATAAAAACC	601	M13/2
585	TTTTGCAAAAGAAGT	571	M13/3
	* *		
555	AATAGTAAAATGTTT	541	M13/4
	* *		
525	CAATACTGCCGAATG	511	M13/5
	* *		
495	TGAAAACGAGAATGA	481	M13/6
465	AGAAAACGAGAATGA	451	M13/7
	* *		
435	CAGGTCTTTACCCTG	421	M13/8
	*		
405	AGGAAAGCGGATTGC	391	M13/9
375	AGGAAGCCCGAAAGA	361	M13/10

COMPLEMENTARY TO SS PHAGE DNA			
POSITION	5' * * 3'	POSITION	
351	ATATTTGAAGTCTTT	366	M13/11
	* *		
371	TCTTTTTGATGCAAT	386	M13/12
	* *		
391	CTATAACTCAGGG	406	M13/13
	* *		
411	TGATTTATGGTCATT	426	M13/14
	* *		
431	GTTTAAAGCATTTGA	446	M13/15
	* *		
451	TATTTATGACGATTC	466	M13/16
	* *		
471	TATCCAGTCTAAACA	486	M13/17
	* *		
491	CTCTGGCAAACTTC	506	M13/18
	* *		
511	TCGCTATTTTGGTTT	526	M13/19
	*		
531	AAACGAGGTTATGA	546	M13/20

12/27





FIG. 7


Appropriate M13mp18 Restriction Sites



Lane 1: from calf thymus + Taq digested mp18 amplification reaction  
Lane 2: from Taq digested mp18 amplification reaction  
Lane 3: from calf thymus amplification reaction  
Lane 4: ØX174 Hinf1 size marker

*FIG. 8*

14/27




Lane 1: no template  
Lane 2: mp18 template, phosphate buffer  
Lane 3: MspI/pBR322 size marker  
Lane 4: mp18 template, MOPS buffer

*FIG. 9*

**BEST AVAILABLE COPY**


15/27



Top= (+) Template  
Bottom= (-) Template  
Lane 1: phosphate buffer  
Lane 2: MES  
Lane 3: MOPS  
Lane 4: DMAB  
Lane 5: DMG  
Lane 6: pBR322/Mspl size marker

FIG. 10


BEST AVAILABLE COPY



Lane 1: DMAB buffer, no template  
Lane 2: DMAB buffer, mp18 template  
Lane 3: DMG buffer, no template  
Lane 4: DMG buffer, mp18 template  
Lane 5: no reaction  
Lane 6: 200 ng Taq I digested mp18  
size marker/positive control

*FIG. 11*





First Time Interval

Second Time Interval

Agarose Gel Analysis

- Lane 1: Lambda Hind III marker
- Lane 2: Amp/Untreated
- Lane 3: Amp/Kinased
- Lane 4: Amp/Kinased/Ligated
- Lane 5: PCR/Untreated
- Lane 6: PCR/Kinased
- Lane 7: PCR/Kinased/Ligated
- Lane 8:  $\phi$ X174/HinfI marker

FIG. 12






FIG. 13



Lane 1: Primers alone  
Lane 2: Primers + taq digested M13 DNA  
Lane 3: Molecular weight markers  
Lane 4: Primers + RNA  
Lane 5: Primers alone  
Lane 6: M13 digested DNA  
Buffer was dimethyl amino glycine, pH 8.6

*FIG. 14*



Lane 1: Primers alone  
Lane 2: Primers + taq digested M13 DNA  
Lane 3: Molecular weight markers  
Lane 4: Primers + RNA  
Lane 5: Primers alone  
Lane 6: M13 digested DNA  
Buffer was dimethyl amino glycine, pH 8.6

FIG. 15




FIG. 16




FIG. 17


## pIBI 31-BH5-2

fmet AUG of Lac z {T7 Promotor region....  
 LAC PROMOTOR..ATG ACC ATG ATT ACG CCA GAT ATC AAA TTA ATA CGA CTC ACT ATA  
 oligo 50-mer 3'- tac t\*aa t\*gc ggt\* ct\*a t\*ag t\*vt aat\* tat\* gct\* gag t\*ga t\*at\* c-5'  
 10 base insert  
 T7 RNA Start {<< << T3 Promotor Region }  
 IGGG CTC ICCT TTA GTG ACG GTT AAT  
 ...>> >>} <<- T3 Start Signal

## pIBI 31 BSII/HCV

fmet AUG of Lac z {T3 Promotor region ->>} T3 RNA Start  
 LAC PROMOTOR..ATG ACC ATG ATT ACG CCA AGC TCG AAA TTA ACC CTC ACT AAA /GGG  
 oligo 50-mer 3'- tac t\*aa t\*ac t\*aa t\*gc ggt\* t\*v--10 base insert--.....  
 {<<- T7 Promotor Region }  
 MULTIPLE CLONING SITE + 390 BASE INSERT CTA /TAG TGA GTC CGT ATT AAT....  
 <<- T7 Start Signal  
 5'-ct\*a t\*ag t\*ga gt\*c gt\*a tt\*a at\*.....

FIG. 18



Primer-Dependent DNA Production  
Using Nucleic Acid Construct

*FIG. 19*






FIG. 20




FIG. 21




FIG. 22